THE UNIVERSION OF AMERICA

Pioneer Hi-Bred International, Inc.

Colhereus. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THILE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEET AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

CORN

'PHW17'

In Lestimony Minereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 29th day of May in the year of our Lord one thousand nine hundred and eighty-seven.

2 11 01

Kenneth HErans

Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT	FORM APPROVED: OMB NO. 0681-0055				
ARRICULTURAL M.	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is				
APPLICATION FOR PLANT VARI	s on reverse)	CHON CERTIFICATE	held confidential until certificate is issued (7 U.S.C. 2426).		
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. VARIETY NAME		
Pioneer Hi-Bred International,	Inc.		PHW17		
4. ADDRESS (Street and No. or R.F.D. No., City, Sta Plant Breeding Division	te, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY PVPO NUMBER		
Department of Corn Breeding PO Box 85, Johnston, IA 5013	1-0085	515/270-3300	8700018		
6. GENUS AND SPECIES NAME 7. FAMILY N.		ME (Botanical)	DATE November 12, 1986		
Zea mays	Gramin	eae	Movember 12, 1986 TIME 9:00 WA.MP.M.		
8. KIND NAME	9.	DATE OF DETERMINATION	amount for filing		
Corn		1983	DATE Movember 10,1986 AMOUNT FOR CERTIFICATE		
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	N," GIVE FORM	OF ORGANIZATION (Corporation,	AMOUNT FOR CERTIFICATE \$ 20000 DATE		
Corporation			May 1, 1987		
11. IF INCORPORATED, GIVE STATE OF INCORP Towa		12. DATE OF INCORPORATION May 6, 1926			
Dr. Richard L. McConnell Plant Breeding Division Pioneer Hi-Bred International, PO Box 85 Johnston, IA 50131-0085 14. CHECK APPROPRIATE BOX FOR EACH ATTA a. Exhibit A, Origin and Breeding History of	CHMENT SUBMI				
 b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Varied d. Exhibit D, Additional Description of Varience e. Exhibit E, Statement of the Basis of App 	iety.		ce.)		
15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pr			E ONLY AS A CLASS OF CERTIFIED items 16 and 17 below)		
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS?		17. IF "YES" TO ITEM 16, I	WHICH CLASSES OF PRODUCTION ED?		
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	Foundation ION OF THE VARIETY IN THE U	Registered Certified		
			Yes (If "Yes," give date)		
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	, OR MARKETED IN THE U.S. OF	OTHER COUNTRIES ?		
			Yes (If "Yes," give name of countries and dates) No		
20. The applicant(s) declare(s) that a viable sam plenished upon request in accordance with s					
The undersigned applicant(s) is (are) the ow distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se Section 41, and	xually reproduced novel plant va is entitled to protection under th	riety, and believe(s) that the variety is ne provisions of Section 42 of the Plant		
Applicant(s) is (are) informed that false repr	resentation here	in can jeopardize protection and	result in penalties.		
Pioneer Hi-Bred International,	Inc.				
SIGNATURE OF APPLICANT By:	***************************************		DATE		
Richard & McConnell			11/6/86		

CORN

'PHW17'

14A. Exhibit A. Origin and Breeding History

Pedigree: 1D11/B73)X/B73<3051)X243X11X

Pioneer line PHW17, Zea mays L., a white dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. by selfing out of a population that was developed by crossing a Pioneer proprietary white inbred 1D11 x B73, selfing that cross once, then crossing to a cross of B73 by a Pioneer proprietary yellow inbred line 051 that was backcrossed twice to B73. Selfing and selection for white kernels were practiced within this breeding population for nine generations during the development of PHW17 at Windfall, Indiana. During line development, crosses were made to white inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Windfall, Indiana, and at other Pioneer corn research stations in the central and northern Corn Belt. Additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand pollinated with observations made for uniformity.

PHW17 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety". It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic purity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHW17.

14B. Exhibit B. Novelty Statement for 'PHW17'

 ${\tt PHW17}$ is most similar to the public inbred line B73. PHW17 has white endosperm whereas B73 has yellow endosperm.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C (Corn)

Page I of 3

OBJECTIVE DESCRIPTION OF VARIETY CORN (ZFA MAYS)

CORR (ZEA III) (10)						
NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	FOR OFFICIAL USE ONLY					
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	870018					
Plant Breeding Division Department of Corn Breeding PO Box 85	VARIETY NAME OR TEMPORARY DESIGNATION					
PO Box 85 Johnston, IA 50131-0085	PHW17					
Place the appropriate number that describes the varietal character of this variety in the						
Place a zero in first box (e.g. 089 or 09) when number is either 99 or less or	9 or less.					
1. TYPE:						
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = PC	DP 6 = ORNAMENTAL					
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:						
1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4海SOUTHEAST					
3. MATURITY (In Region of Best Adaptability): (Under "C	commerits" (pg. 3) state how					
	s were calculated) 3 0 HEAT UNITS					
	3 0 HEAT UNITS					
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS					
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS					
4. PLANT:						
2 5 6 CM. HEIGHT (To tassel tip)	0 8 CM, EAR HEIGHT (To base of top ear)					
0 8 CM. LENGTH OF TOP EAR INTERNODE						
Number of Tillers: Number of Ears Per Stalk:						
	·					
	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY					
Cytoplasm Type:						
1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	(Specify)					
5. LEAF (Field Corn Inbred Examples Given):						
Color:						
3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	EN (B14) 4 = VERY DARK GREEN (K166)					
Angle from Stalk (Upper half): Sheath Pubscence:						
1 1 = $\langle 30^{\circ}$ 2 = 30-60° 3 = \rangle 60° 1 1 = LIGHT (W22) 2 = MEDIUM (WF9)					
3 = HEAVY	(OH26)					
Marginal Waves: Longitudinal Creases:						
1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 1 1 = ABSENT	(OH51) 2 = FEW (OH56A)					
Width: Length:	PA11)					
with Edigin						
0 9 CM. WIDEST POINT OF EAR NODE LEAF 0 8 1 CM. EA	AR NODE LEAF					

FORM LPGS-470-28 (3-79) (Formerly Form GR-470-28 (2-74), which may be used)

6. TASSEL:		turk to the term of the second of the term of the second o
	STORES OF THE BOND OF SECURITIES	
[0[6]	NUMBER OF LATERAL BRANCHES	and the second of the second o
Branch An	gle from Central Spike:	The state of the s
Branch An	,	Penduncie Length:
1	1 = < 30° 2 = 30-40° 3 = > 45°	2 8 CM. FROM TOP LEAF TO BASAL BRANCHES
n 11 - n	 A service of the servic	The first transfer of the second seco
Pollen Shed	E CONTRACTOR CONTRACTO	and the second of the second o
2	1 = LIGHT (WF9) 2 = MEDIUM	3 = HEAVY(KY21)
	and the second s	and the second of the second
)	
	Anther Color: 1 = YELLOW 2 = PIN	
_5	Glume Color: 6 = OTHER (Specify)	
Pollen Rest	oration for Cytoplasms (o = Not Tested, 1 = Partial, 2 = G	nod)
		·
O "T"	[0] "s" [0] "c" [0]	OTHER (Specify Cytoplasm and degrees of restoration)
7. EAR (Hus	ked Ear Data Except When Stated Otherwise):	
	CM LENGTH 4 3 MM, MID-POINT	1 2 2 Contract to the second of the second o
1 3	CM LENGTH 4 3 MM, MID-POINT DIAMETER	I Z Z GM. WEIGHT
Kernel Row	s:	
	•	1 8 NUMBER
لكسا	1 = INDISTINCT 2 = DISTINCT	1 0 110111
1	1 = STRAIGHT 2 = SLIGHTLY CURVED	3= SPIRAL
Silk Color (Exposed at Silking Stage):	en de la companya de La companya de la co
	1 = GREEN 2 = PINK 3 = SALMO	N 4=RED
لئا	2	
Husk Color:		A CAMPANA A CAMP
2	FRESH) 1 = LIGHT GREEN	2 = DARK GREEN 3 = PINK
	}	2 DAIN GIVEN
6	DRY	URPLE 6 = BUFF
Husk Extent	ion: (Harvest Stage)	Husk Leaf:
·	ORT (Ears Exposed) 2 = MEDIUM (Barely Covering Ear)	
3 = rc	NG (8-10CM Beyond Ear Tip)	3 = LONG (> 15 CM)
Shank:	ERY LONG (> 10 CM)	Position at Dry Husk Stage:
0 8	cm LONG 8 NO. OF INTERNODES	1 1 = UPRIGHT 2 = HORIZONTAL 3 = PENDENT
Taper:		During Time (Hubushed Earl)
Taper.		Drying Time (Unhusked Ear):
L	1 = SLIGHT 2 = AVERAGE 3 = EXTREME	1 = SLOW 2 = AVERAGE 3 = FAST
B. KERNEL (D	ried):	
Size (From E	ar Mid-Point):	 The second of the second of the
1 1	MM LONG 0 6 MM. WIDE	0 4 MM THICK
Shape Grade		0 4 MM. THICK
	•	
11	1 = < 20 2 = 20-40 3 = 40-60	4 = 60-80 5 = > 80 a 3 3 3 3 3 3

8. KERNEL	(Dried) :					87000) Ř		
1	Pericarp Color:	1 = COLORLESS 5 = BROWN / 8 = VARIEGATE	6 = LIGHT	HITE CROWN	3 = TAN 7 = CHERRY F	4 = BRONZE	1 0		
1	Aleurone Color:	1 = HOMOZYGO	US 2 = SEC	GREGATING (Describe)				
1	1 = WHITE 7 = PURPLE		3 = TAN RPLE 9 = VA			5 = BRONZE	6 = RED		
1	Endosperm Color:	1 = WHITE	2 = PALE YELLOW	3≈ YELLOW	4 = PINK-OR	ANGE 5 = WHI	TE CAP.		
Endosper	т. Туре:								
3	1 = SWEET (su1) 5 = WAXY STARC		(TRA SWEET (sh2) GH PROTEIN	3 = NORMAL ST 7 = HIGH LYSIN	Ω=	HIGH AMYLOSE ST. OTHER (Specify)	ARCH		
2 4	7								
9. COB:	MM. DIAMETER A	AT MID-POINT							
2 5 Strength:			,	Color:					
2	1 = WEAK	2 = STRONG	ĺ		2 = PINK 3 = F	RED 4 = BROWN THER (Specify)	<u> </u>		
10. DISEAS	E RESISTANCE (O	= Not Tested, 1 = S	Susceptible, 2 = Resistan	t):					
1	STALK ROT (Dip	lodia)	1 STALK ROT	(Fusarium)	1 s	STALK ROT (Gibbere	IIa)		
2.	NORTHERN LEAF BLIGHT 2 SMUT (Head)								
0	SOUTHERN RUS	г	1 CORN SMUT	(Common)	2	BACTERIAL WILT	ewart's)		
2	BACTERIAL LEA		1 MAIZE DWA	RF MOSAIC	0 s	STUNT	.ewart S)		
Ħ	OTHER (Specify)	(Goss')							
11. INSECT	RESISTANCT (O =	Not Tested, 1 = Su	sceptible, 2 = Resistant)	:	VI-10-24-7				
1	CORNBORER	0	EARWORM	0 s	APBEET L E	0 APHI	D		
0	ROOTWORM (No	rthern)	ROOTWORM (Western)	·					
0	ROOTWORM (Sou	athern)	OTHER (Specify)						
12. VARIET	IES MOST CLOSEL	Y RESEMBLING	THAT SUBMITTED FO	R THE CHARACTERS	GIVEN:				
CHARAC	CTER		VARIETY	CHARACTE	R	VARIETY			
Maturity Plant Typ			B73 B73	Kernel Type Quality (Edi		В73			
Ear Type			B73	Usage	ibie,				
REFERENCES: U.S. Department Agriculture. Yearbook 1937. Corn: Culture, Processing, Products. 1970 Avi Publishing Company, Westport, Connecticut. (Numerous (Authors) Emerson, R.A., G.W. Beadle, and A.C. Fraser. A Summary of Linkage Studies in Malze.Cornell A.E.S., Mem. 180. 1935. The Mutants of Maize. 1968. Crop Science Society of America. Madison, Wisconsin. Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S. Bul. 831. 1959.									
Butler, D.R. 1954 — A System for the Classification of Corn Inbred Lines — PhD. Thesis, Ohio State University.									
COMMENTS: Heat units are accumulated from daily temperatures as follows: HI = Maximum air temperature in Fahrenheit, but not greater than 86. LO = Minimum air temperature in Fahrenheit, but not less than 50. Heat Units = (HI + LO)/2 - 50, but not less than 0.									


14D. Exhibit D. Additional Description of 'PHW17'

PHW17 is a white dent inbred line of corn, Zea mays L.

As an inbred per se, PHW17 is similar to the public yellow inbred line B73. The similarities are expected because B73 made a major contribution to the breeding population from which PHW17 was developed. PHW17 is relatively early in maturity compared to most of the commonly used white inbred lines.


14D. Exhibit D. Additional Description of 'PHW17' (continued)

a. Whole plant



14D. Exhibit D. Additional Description of 'PHW17' (continued)

b. Tassel



14E. Exhibit E. Statement of the Basis of Applicant's Ownership.

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHW17. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHW17.